# CLCONTO

PLAYGROUND FUTURE





## ONKYO

A-9130-S

156269 SRP 349,00 €

349,00 €

Hi-fi's golden age reborn for modern listeners

Colour



Style

**STANDARD** 

#### PRODUCT DETAILS

#### **Integrated Stereo Amplifier**

The A-9130 is a robust and versatile pre-main amplifier with wide connectivity and deeply enjoyable sound quality. In pursuit of musicality and fidelity to the source, the amp is tuned for warm, lively sound that expresses the tonal colors of your best-loved albums.

Stable high-current power delivers accurate and agile sound across a wide and dimensionally realistic soundstage. WRAT (Wide Range Amplification Technology) was fine-tuned specifically for the A-9130 by Onkyo's master technicians.

Two 10,000 F main audio capacitors were custom-made following exhaustive listening tests to realize a richness and dynamism that's very easy to love. Make the A-9130 the heart of your home hi-fi and enjoy the musical refinement expected of a far more expensive component.

#### **Highlights**

- 60 W + 60 W high-current amplification
- WRAT (Wide Range Amplification Technology)
- Direct Mode for source-authentic audio reproduction
- · Phase Matching Bass Boost
- Custom-made high-current EI transformer and two 10,000 µF capacitors

- Wolfson® WM8718 DAC
- MM phono input, 5 x RCA, and 2 x digital audio inputs
- New fine display for easy source selection

#### **Amplification features**

- 60 W + 60 W (4, 20 Hz-20 kHz, 0.5% THD, 2-ch driven, IEC)
- WRAT (Wide Range Amplifier Technology)
- Customized high-current EI transformer
- Two large custom-fabricated 10,000 µF audio-grade main capacitors
- Optimum Gain Volume Circuitry for clear low-volume playback
- Rigid anti-resonant 1.6 mm metal chassis
- · 4 speaker-driving capability
- High-quality Wolfson® WM8718 192 kHz/24-bit D/A converter
- Phase Matching Bass Boost
- Power Amp Direct main input function
- Direct Mode for source-authentic audio reproduction
- Thick detachable IEC-compliant power cable

### **Connection features**

- 5 gold-plated analog RCA inputs
- 2 digital audio inputs (1 coaxial, 1 optical, 192 kHz/24-bit-capable)
- 1 phono input with discrete MM phono equalizer
- 1 analog RCA line-level output
- · Direct main power amp input
- © 2024 ATS trade&service GmbH. All rights and changes reserved without notice.

• Subwoofer pre-out • High-quality non-magnetic speaker posts with clear knobs • Silver-plated 6.35 mm headphone jack • RI (Remote Interactive) input **Additional features**  Fine display shows active input • Aluminum volume control knob (motorized) • Independent bass and treble tone controls and balance control • Easy-to-use knobs for smooth operation without a remote • RI (Remote Interactive) input enables connection of a supported component for integrated control with one remote controller Auto Power Standby · Available in silver or black **Specs Product Attributes** EAN: 4573211153958 Manufacturer number: A-9130(S)MGP Product weight: 9.45 kilograms